

Compliance Document

No. D 091566 0042 Rev. 00


Holder of Certificate: SINENG ELECTRIC CO.,LTD.
No.6 Hehui Road, Huishan District
214174 Wuxi City
PEOPLE'S REPUBLIC OF CHINA

Product: PV inverter
GRID- GRID-CONNECTED PV INVERTER

This Compliance document confirms the compliance with the listed standards on a voluntary basis. It refers only to the sample submitted for testing and certification and does not certify the quality or safety of the serial products. For details see: www.tuvsud.com/ps-cert

Test report no.: 704092230208-00

Date, 2022-12-13



(Zhengdong Ma)

Compliance Document

No. D 091566 0042 Rev. 00

Model(s): SN3.0PT, SN4.0PT, SN5.0PT,
SN6.0PT, SN8.0PT, SN8.0PT-B,
SN10PT, SN10PT-B, SN12PT, SN12PT-B

Parameters:

Models	SN3.0PT	SN4.0PT	SN5.0PT	SN6.0PT
PV Input Parameters				
Max. Input Voltage	1100 Vd.c.			
MPPT Voltage Range	140-1000 Vd.c.			
Max. Input Current	16/16 Ad.c.			
Isc PV	25/25 Ad.c.			
AC output Parameters				
Rated output Power	3000 W	4000 W	5000 W	6000 W
Max.output Apparent Power	3300 VA	4400 VA	5500 VA	6600 VA
Rated output Voltage	3/N/PE~, 230/400 V			
Rated output Frequency	50 Hz			
Max.output Current	4.8 Aa.c.	6.4 Aa.c.	8 Aa.c.	9.68 Aa.c.
Power Factor Range	0.8(leading)-0.8(lagging)			

Compliance Document

No. D 091566 0042 Rev. 00

Models	SN8.0PT	SN10PT	SN12PT
PV Input Parameters			
Max. Input Voltage	1100 Vd.c.		
MPPT Voltage Range	140-1000 Vd.c.		
Max. Input Current	16/16 Ad.c.		
Isc PV	25/25 Ad.c.		
AC output Parameters			
Rated output Power	8000 W	10000 W	12000 W
Max.output Apparent Power	8800 VA	11000 VA	13200 VA
Rated output Voltage	3/N/PE~, 230/400 V		
Rated output Frequency	50 Hz		
Max.output Current	12.8 Aa.c.	15.9 Aa.c.	19.1 Aa.c.
Power Factor Range	0.8(leading)-0.8(lagging)		

Models	SN8.0PT-B	SN10PT-B	SN12PT-B
PV Input Parameters			
Max. Input Voltage	1100 Vd.c.		
MPPT Voltage Range	140-1000 Vd.c.		
Max. Input Current	25 Ad.c.		
Isc PV	35 Ad.c.		
AC output Parameters			
Rated output Power	8000 W	10000 W	12000 W
Max.output Apparent Power	8800 VA	11000 VA	13200 VA
Rated output Voltage	3/N/PE~, 230/400 V		
Rated output Frequency	50 Hz		
Max.output Current	12.8 Aa.c.	15.9 Aa.c.	19.1 Aa.c.
Power Factor Range	0.8(leading)-0.8(lagging)		

**Tested
according to:**

IEC 61727:2004
 IEC 62116:2014
 IEC 61683:1999
 EN 50530:2010/A1:2013
 IEC 60068-2-1:2007
 IEC 60068-2-2:2007
 IEC 60068-2-14:2009
 IEC 60068-2-30:2005